

GEUTEBRÜCK

G-View Mobile App

Software Version 1.1.0

Release Notes

Table of contents

Feature Description3

Release Notes 4

System Specifications 5

Performance and stability improvements

- Performance and stability have been optimized.
- The latest operating systems are supported.

User interface and user experience optimizations

- G-Help on the start page.
- New menu structure.
- Adding the camera via "+".
- Exit the maximized mode via double-click.
- Better overview in the viewer.

Digital Zoom in the maximized mode

- Digital zoom in the maximized modus was integrated.

PTZ control in maximized landscape mode

- Control with Digital joystick, number selection and home button, optical zoom and focus.
- PTZ indicator in the views and the camera lists so that the user recognizes the PTZ functionality.

H.265 support*

- H.265 support has been added.
- Optimization of video quality.
- The network load is optimized.

Datepicker adjustments

- Quickly find the datepicker by clicking on the timeline.
- Datepicker button customizations.
- 24 hours support.

*Web API version 2.0 required

G-View Mobile App 1.1.0

Typ	Short Description	Detailed Description
New Feature	PTZ control in maximized landscape mode	Control with navigation cross, number selection and home button, optical zoom and focus. PTZ indicator in the views and the camera lists so that the user recognizes the PTZ functionality.
New Feature	Digital Zoom	Digital zoom in the maximized modus was integrated.
New Feature	Datepicker adjustments	<ul style="list-style-type: none">• Quickly find the datepicker by clicking on the timeline.• Datepicker button customizations.• 24 hours support.
New Feature	User interface and user experience adjustments	<ul style="list-style-type: none">• G-Help on the start page.• New menu structure.• Adding the camera via "+".• Exit the maximized mode via double-click.• Better overview in the viewer.
New Feature	H.265 Support	H.265 is supported - from the new WebAPI 2.0.

G-Core	Web API	G-View Mobile App	Cam Check
7.0	1.5	1.0.0 - Basic Functionalities	All functionalities
7.1	1.5	1.0.0 - Alarmhandling	All functionalities
7.2	1.5.9	1.0.0 - Alarmhandling	All functionalities
8.0	2.0	1.1.0 - H.265 Support	All functionalities

The instructions for the manual and automatic generation of HTTPS certificates for DNS servers, among others, can be found on the help page (G-Help) of the Web API (geutebrueck.com)

Contact information

If you have any questions about the specific requirements of your system, you can contact Geutebrück GmbH:
Geutebrück GmbH
Department Presales Call: +49 2645 1370
E-Mail: info@geutebrueck.com

Technical alterations reserved.

GEUTEBRÜCK GmbH

Im Nassen 7-9 | D-53578 Windhagen | Tel. +49 (0)2645 137-0 | Fax-999 | E-mail: info@geutebrueck.com | Web: www.geutebrueck.com